



B SECTION - AS DRAWN ON GRID - D SECTION - AS DRAWN ON GRID - B (BUTT MIRROR IMAGE)

■BRACKET

— 4 - 26 DIA HOLES FOR 24 DIA BOLTS

9 +50+

4 - OBLONG HOLES — FOR 24 DIA BOLTS IN GG1

‡ —

STIFF. PLATE

THIS DRAWING & DESIGN IS THE SOLE PROPERTY OF VMS & SHALL NOT BE COPIED, TRACED OR REPRODUCED BY ANY MEANS WITHOUT PRIOR WRITTEN CONSENT OF THE FIRM.

GENERAL NOTES:

 ALL THE DIMENSIONS ARE UNFINISHED DIMENSIONS.
 ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN MT., UNLESS OTHERWISE MENTIONED. 3. ALL THE DIMENSIONS SHALL BE READ & NOT TO BE MEASURED. 4. ALL WELD TO BE 6mm FULL FILLET WELD. UNLESS SPECIFIED OTHERWISE.

5. ALL BOLTS ARE TO BE 8.8 GRADE, UNLESS OTHERWISE SPECIFIED. 6. FOR ALL OTHER NOTES REFER DRG. NO.:- GEN.S.02

IMPORTANT NOTE:

1. ± 0.000 LVL. = RL +53.50 MT

2. THE CONTRACTOR SHALL SUBMIT THE SHOP DRAWINGS FOR APPROVAL PRIOR TO FABRICATION.

REVISED DRAWN CHECKED NO. DATE DESCRIPTION BY BY BY **REVISION HISTORY**

FOR CONSTRUCTION

REFERENCE DRAWINGS:

01. ARCHITECTURAL: A.1.101 TO A.1.107, A.1.201 TO A.1.205 ONWARD.

02. STRUCTURAL: SS.1.01 TO SS.1.04 ONWARD

04. ELECTRICAL

LAYOUT & DETAILS FOR GANTRY GIRDER (40 T CAPACITY)

LABORATORY BUILDING

XI-PLAN PROJECT AT BHAT, GANDHINAGAR

PROJECT NO.

INSTITUTE FOR PLASMA RESEARCH

PROJECT ENGINEER : HRUSHIKESH CHECKED: NEHA BANKER

APPROVED : RHS ASSOCIATE H.V.A.C. CONSULTANTS : 26-B, TRUST NAGAR

ASSOCIATE FIRE SAFETY CONSULTANTS: Prachtvoll Engineers Pvt Ltd. F-201 SHRINAND NAGAR PART 2 NEW SHARDAMANDIR ROAD. AHMEDABAD- 380 007 VEJALPUR AHMEDABAD- 380 051

ASSOCIATE ELECTRICAL CONSULTANTS: Kirit Patel & Associate
A-91, AKASH TOWER, JUDGES BUNGLOW ROAD, BODAKDEV, AHMEDABAD- 380 054. email: kiritpatel_asso@rediffmail.com



CHITRAKOOT FLATS, BEHIND TIMES OF INDIA, OFF ASHRAM ROAD, AHMEDABAD - 380 009. PHONE : +91 (079) 2658 8829 / 2480 / 4488 WWW.VMSCONSULTANTS.COM

DRAWING NO. x600 SS.1.16

CONSTRUCTION REVISION: