

This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



प्लाज्मा अनुसंधान संस्थान
INSTITUTE FOR PLASMA RESEARCH
परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त संस्थान
**An Aided Institute of Department of Atomic Energy,
Government of India**



इन्दिरा पुल के पास, भट, गांधीनगर - 382 428 भारत
दूरभाष: (079) 2396 2020/2021/2028
फैक्स: 91-079-23962277
वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT
DIST. GANDHINAGAR - 382 428 (INDIA)
Phone: (079) 2396 2000/2026/2332
Fax : 91-079-23962277
Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQF/18-19/135
Date : 04-10-2018

Due on : 15-11-2018 by 1:00 PM IST

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items which we are interested to import directly against Foreign Trade Policy 2015-2020.

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to importpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: **IPR-FP-01.V3**)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer **clause no: 14** of Form No: **IPR-FP-01.V3**

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	Non-machinable Alumina Ceramic (Al ₂ O ₃) J-Frame according to the drawing and specifications attached	20.0 Nos.
2	Non-machinable Alumina Ceramic (Al ₂ O ₃) Strip, Length = 30mm according to the drawing and specifications attached	10.0 Nos.
3	Non-machinable Alumina Ceramic (Al ₂ O ₃) Strip, Length = 40mm according to the drawing and specifications attached	10.0 Nos.
4	Non-machinable Alumina Ceramic (Al ₂ O ₃) Strip, Length = 50mm according to the drawing and specifications attached	10.0 Nos.
5	Non-machinable Alumina Ceramic (Al ₂ O ₃) Strip, Length = 60mm according to the drawing and specifications attached	10.0 Nos.

Note: Please quote with complete technical details (Technical compliance sheet and product data sheet).

Encl: Other details are as per attached specification sheet.

Sd/-
Mr. D. Ramesh
Purchase Officer-II



Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <http://www.ipr.res.in/documents/tendersenq.html> for our future requirement.

J-FRAME

MATERIAL: NON-MACHINABLE ALUMINA CERAMIC Al_2O_3

PURITY: 99.7% OR MORE


QUANTITY: 20 PIECES




ALL DIMENSIONS ARE EXPRESSED IN MILLIMETERS

NON-MACHINABLE Al_2O_3 CERAMIC STRIPS

LENGTH



- Length = 30mm, Quantity = 10
- Length = 40mm, Quantity = 10
- Length = 50mm, Quantity = 10
- Length = 60mm, Quantity = 10



ALL DIMENSIONS ARE EXPRESSED IN MM

Non-Machinable Ceramic Items

Specifications

Item 1. Nonmachniable Alumina Ceramic J-FRAME

(As per drawing 'Ceramic_J-Frame.pdf' attached), **Quantity** = 20 pieces

Item 2. Nonmachinable Alumina Ceramic STRIPS

(As per drawing 'Ceramic_Strips.pdf' attached),

1. Length = 30mm Quantity = 10 pieces
2. Length = 40mm Quantity = 10 pieces
3. Length = 50mm Quantity = 10 pieces
4. Length = 60mm Quantity = 10 pieces

Material Specifications

No.	Particulars	IPR Required Value
1	Ceramic composition	$\geq 99.7\%$ of Al_2O_3
2	Operational / working Temperature	$>1000^\circ C$

NOTE:

If it is felt necessary, Institute for Plasma Research, Gandhinagar, Gujarat, India may ask all or selected bidders to provide

1. certificates and / or a sample piece to verify their claims
2. copy of the purchase order if they have ever supplied a product with same composition and similar quantity in last three years to anywhere in the world

Compliance Sheet
Non-Machinable Ceramic Items

**Note: In the compliance table pl. write the exact specification.
Pl. do not write 'confirm', 'yes' or 'OK' etc.**

No.	Particulars	IPR Requirement	Compliance from Vendor
1	Nonmachinable Alumina Ceramic J-FRAME	As per drawing 'Ceramic_J-Frame.pdf' attached	
2	Nonmachinable Alumina Ceramic STRIPS	As per drawing 'Ceramic_Strips.pdf' attached	
3	Ceramic composition	$\geq 99.7\%$ of Al_2O_3	
4	Operational / working Temperature	$>1000^\circ C$	

NOTE:

1. Bidders will have to fill the column entitled 'Offer Value' with actual their values
2. If it is felt necessary, Institute for Plasma Research, Gandhinagar, Gujarat, India may ask all or selected bidders to provide
 - a. certificates and / or a sample piece to verify their claims
 - b. copy of the purchase order if they have ever supplied a product with same composition and similar quantity in last three years to anywhere in the world

Date: _____

Bidder's stamp and Sign: _____