

This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



प्लाज्मा अनुसंधान संस्थान
INSTITUTE FOR PLASMA RESEARCH
परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त संस्थान
**An Aided Institute of Department of Atomic Energy,
Government of India**



इन्दिरा पुल के पास, भट, गांधीनगर - 382 428 भारत
दूरभाष: (079) 2396 2020/2021/2028
फैक्स: 91-079-23962277
वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT
DIST. GANDHINAGAR - 382 428 (INDIA)
Phone: (079) 2396 2000/2026/2332
Fax : 91-079-23962277
Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQF/18-19/142
Date : 12-10-2018

Due on : 22-11-2018 by 1:00 PM IST

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items which we are interested to import directly against Foreign Trade Policy 2015-2020.

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to importpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: **IPR-FP-01.V3**)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer **clause no: 14** of Form No: **IPR-FP-01.V3**

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	DN40CF flanged fused silica view port	4.0 Nos.
2	DN40CF flanged Borosilicate/N-BK7 view port	6.0 Nos.
3	DN63CF flanged Borosilicate/N-BK7 view port	6.0 Nos.
4	DN100CF flanged Borosilicate/N-BK7 view port	6.0 Nos.
5	DN150CF flanged Borosilicate/N-BK7 view port	2.0 Nos.

Note: Please quote with complete technical details (Technical compliance sheet and product data sheet).

Encl: Other details are as per attached specification sheet.

Sd/-

Mr. D. Ramesh
Purchase Officer-II

Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <http://www.ipr.res.in/documents/tendersenq.html> for our future requirement.

TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees.
Necessary TDS Certificate will be issued to the supplier after TDS deduction.

Specification for view ports

1. DN40CF flanged fused silica view port

Flange size	DN40CF
Window material	Fused silica
Surface quality	~ 40/20 scratch/dig or better
Parallelism	< 30 arc minutes
Vacuum Compatibility	UHV compatible
Max baking temperature	~ 200 °C
Quantity	4

2. DN40CF flanged Borosilicate/N-BK7 view port

Flange size	DN40CF
Window material	Borosilicate/ N-BK7
Max baking temperature	~ 200 °C
Vacuum Compatibility	UHV compatible
Quantity	6

3. DN63CF flanged Borosilicate/N-BK7 view port

Flange size	DN63CF
Window material	Borosilicate/ N-BK7
Max baking temperature	~ 200 °C
Vacuum Compatibility	UHV compatible
Quantity	6

4. DN100CF flanged Borosilicate/N-BK7 view port

Flange size	DN100CF
Window material	Borosilicate/ N-BK7
Max baking temperature	~ 200 °C
Vacuum Compatibility	UHV compatible
Quantity	6

5. DN150CF flanged Borosilicate/N-BK7 view port

Flange size	DN150CF
Window material	Borosilicate/ N-BK7
Vacuum Compatibility	UHV compatible
Max baking temperature	~ 200 °C
Quantity	2

Compliance sheet

1. DN40CF flanged fused silica view port

Description	IPR Specifications	Offered Specifications
Flange size	DN40CF	
Window material	Fused silica	
Surface quality	~ 40/20 scratch/dig or better	
Parallelism	< 30 arc minutes	
Vacuum Compatibility	UHV compatible	
Max baking temperature	~ 200 °C	
Quantity	4	

2. DN40CF flanged Borosilicate/N-BK7 view port

Description	IPR Specifications	Offered Specifications
Flange size	DN40CF	
Window material	Borosilicate/ N-BK7	
Max baking temperature	~ 200 °C	
Vacuum Compatibility	UHV compatible	
Quantity	6	

3. DN63CF flanged Borosilicate/N-BK7 view port

Description	IPR Specifications	Offered Specifications
Flange size	DN63CF	
Window material	Borosilicate/ N-BK7	
Max baking temperature	~ 200 °C	
Vacuum Compatibility	UHV compatible	
Quantity	6	

4. DN100CF flanged Borosilicate/N-BK7 view port

Description	IPR Specifications	Offered Specifications
Flange size	DN100CF	
Window material	Borosilicate/ N-BK7	
Max baking temperature	~ 200 °C	
Vacuum Compatibility	UHV compatible	
Quantity	6	

5. DN150CF flanged Borosilicate/N-BK7 view port

Description	IPR Specifications	Offered Specifications
Flange size	DN150CF	
Window material	Borosilicate/ N-BK7	
Vacuum Compatibility	UHV compatible	
Max baking temperature	~ 200 °C	
Quantity	2	

Date: _____

Bidder's stamp and Sign: _____