

This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



प्लाज्मा अनुसंधान संस्थान
INSTITUTE FOR PLASMA RESEARCH
परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त संस्थान
**An Aided Institute of Department of Atomic Energy,
Government of India**



इन्दिरा पुल के पास, भट, गांधीनगर - 382 428 भारत
दूरभाष: (079) 2396 2020/2021/2028
फैक्स: 91-079-23962277
वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT
DIST. GANDHINAGAR - 382 428 (INDIA)
Phone: (079) 2396 2000/2026/2332
Fax : 91-079-23962277
Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQF/18-19/181
Date : 02-01-2019

Due on : 07-02-2019 by 1:00 PM IST

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items which we are interested to import directly against Foreign Trade Policy 2015-2020.

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to importpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: **IPR-FP-01.V3**)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer **clause no: 14** of Form No: **IPR-FP-01.V3**

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	Bellow shaft sealed 63 CF manual Gate Valve	1.0 Nos.

Note:

1. Please quote with complete technical details (Technical compliance sheet and product data sheet).
2. TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees. Necessary TDS Certificate will be issued to the supplier after TDS deduction.
3. Payment Terms:
 - Through Letter of Credit :- The L/C will be established for 80% value of purchase order will be paid against presentation

of shipping documents.

- Through Wire Transfer : 20% payment will be paid through wire transfer after receipt and final acceptance of the item/s at IPR site and on submission of performance Bank Guarantee for 10% of the order value, valid throughout warranty period (Inclusive Of Two Months Grace Period).

Encl: Other details are as per attached specification sheet.

Sd/-

Mr. D. Ramesh
Purchase Officer-II

Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <http://www.ipr.res.in/documents/tendersenq.html> for our future requirement.

Specifications

Item: UHV Gate Valve, Manual

Inside Diameter (mm)	63 mm
Flange	CF, Fixed, Metric threads
Actuation	Manual
Body Material	SS 304
Pressure Range	1×10^{-10} mbar to 1.6 bar
Differential Pressure on the gate	≤ 1.6 bar in either direction
Differential Pressure at opening	≤ 30 mbar
Leak Rate: Body	$\leq 5 \times 10^{-10}$ mbar l/s
Leak Rate: Valve Seat	$\leq 1 \times 10^{-9}$ mbar l/s
Cycles	≥ 50000
Temperature: Valve body	≥ 200 °C
Seal: Bonnet	Metal
Seal: Gate	VITON
Mounting Direction	Any
Position Indicator	Mechanical

Compliance Form

Sl. No.	Particulars	IPR Requirement	Vendor's Specification
1	Inside Diameter (mm)	63	
2	Flange	CF, Fixed, Metric threads	
3	Actuation	Manual	
4	Body Material	SS 304	
5	Pressure Range	1x10 ⁻¹⁰ mbar to 1.6 bar	
6	Differential Pressure on the gate	≤ 1.6 bar in either direction	
7	Differential Pressure at opening	≤ 30 mbar	
8	Leak Rate: Body	≤5x10 ⁻¹⁰ mbar l/s	
9	Leak Rate: Valve Seat	≤1x10 ⁻⁹ mbar l/s	
10	Cycles	≥50000	
11	Temperature: Valve body	≥200 °C	
12	Seal:Bonnet	Metal	
13	Seal:Gate	VITON	
14	Mounting Direction	Any	
15	Position Indicator	Mechanical	

Bidder's Sign with official stamp:

Date: