



प्लाज्मा अनुसंधान संस्थान  
**INSTITUTE FOR PLASMA RESEARCH**  
परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त संस्थान  
**An Aided Institute of Department of Atomic Energy,  
Government of India**



इन्दिरा पुल के पास, भाट, गांधीनगर - 382 428 भारत  
दूरभाष: (079) 2396 2020/2021/2028  
फैक्स: 91-079-23962277  
वेब: [www.ipr.res.in](http://www.ipr.res.in)

NEAR INDIRA BRIDGE, BHAT  
DIST. GANDHINAGAR - 382 428 (INDIA)  
Phone: (079) 2396 2000/2026/2332  
Fax : 91-079-23962277  
Web : [www.ipr.res.in](http://www.ipr.res.in)

## ENQUIRY

ENQUIRY NO : IPR/EQF/19-20/002  
Date : 04-04-2019

**Due on : 16-05-2019 by 1:00 PM IST**

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items which we are interested to import directly against Foreign Trade Policy 2015-2020.

### Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to [importpurchase@ipr.res.in](mailto:importpurchase@ipr.res.in)

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., [http://www.ipr.res.in/documents/tender\\_terms.html](http://www.ipr.res.in/documents/tender_terms.html) / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: **IPR-FP-01.V3**)
- 2) Bidding format

**GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS):** Please refer **clause no: 14** of Form No: **IPR-FP-01.V3**

## QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	5feet x 4 feet optical table top as per the specification	3.0 Nos.
2	Support structure for 5feet x 4feet table top as per the specification	2.0 Nos.

Note: 1. Please quote with complete technical details (Technical compliance sheet and product data sheet).  
2. TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees. Necessary TDS Certificate will be issued to the supplier after TDS deduction.

Encl: As per attached.

Sd/-

Mr. D. Ramesh  
Purchase Officer-II

**Information to Vendors:** We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e,  
<http://www.ipr.res.in/documents/tenderseng.html> for our future requirement.

## Specifications

### **i) Tabletop**

a) Size	5ft x 4 ft:
b) Top skin:	~ 5 mm thick magnetic SS
c) Bottom skin:	~ 5 mm thick epoxy coated MS.
d) Thickness:	150 mm
e) Core:	Honeycomb core made of 0.3 mm thick aluminum sheet.
f) Core cell size:	~ 6 sq. cm. (Approx.)
g) Flatness of the top:	+/- 0.1 mm over 300mm x 300mm area (non-cumulative error)
h) Mounting holes:	M6 tapped holes on top on 25 mm grid.
i) Distance of the first row of mounting holes from the edge:	37.5 mm. Nylon cups has to be fixed under each tapped hole for the protection of the core.
j) Bonding:	Semi-solid epoxy.
k) Side walls:	Compressed wooden particleboards to dampen acoustic vibrations.
l) Side wall finish:	Black mat finish by black form sheet.
m) Quantity:	03

### **ii) Rigid support for above tabletop with Caster wheel (Interconnected legs)**

- |   |                |
|---|----------------|
| a. Size of table to be supported                  | 5ft x 4 ft:    |
| b. Material of construction:                      | Mild Steel     |
| c. Finish:  | painted finish |
| d. Load capacity:                                 | 500 Kg         |
| e. Heavy Duty Castor wheels for movement purpose. |                |
| f. Height adjustment                              | 5 mm or more   |
| g. Quantity:                                      | 02             |

**Total Height Including Tabletop: 900mm**

**Tabletop - Compliance sheet**

<b>Specification</b>	<b>IPR requirement</b>	<b>Vendor's Specifications</b>
Size	5ft x 4 ft: Quantity:03	
Top skin:	~5 mm thick magnetic SS	
Bottom skin:	~5 mm thick epoxy coated MS.	
Thickness:	150 mm	
Core:	Honeycomb core made of 0.3 mm thick aluminum sheet.	
Core cell size:	~6 sq. cm. (Approx.)	
Flatness of the top:	+/- 0.1 mm over 300mm x 300mm area (non-cumulative error)	
Mounting holes:	M6 tapped holes on top on 25 mm grid.	
Distance of the first row of mounting holes from the edge:	37.5 mm. Nylon cups has to be fixed under each tapped hole for the protection of the core.	
Bonding:	Semi-solid epoxy.	
Side walls:	Compressed wooden particleboards to dampen acoustic vibrations.	
Side wall finish:	Black mat finish by black form sheet.	

**Compliance sheet for Rigid support**

<b>Specification</b>	<b>IPR requirement</b>	<b>Vendor's Specifications</b>
Size of table to be supported	5ft x 4 ft	
Material of construction	Mild steel/	
Finish	Painted finish	
Load capacity	500 kg	
Heavy duty castor wheel	Required	
Total Height including table	900 mm	
Height Adjustment	5 mm	

**Bidder's Official Stamp and sign:****Date**