his file has been cleaned of potential threats.	
o view the reconstructed contents, please SCROLL DOWN to next page.	



प्लाज्मा अनुसंधान संस्थान

INSTITUTE FOR PLASMA RESEARCH

परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त संस्थान



An Aided Institute of Department of Atomic Energy, Government of India

इन्दिरा पुल के पास, भाट, गांधीनगर – 382 428 भारत दूरभाष: (079) 2396 2020/2021/2028 फैक्स: 91-079-23962277

वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT DIST. GANDHINAGAR - 382 428 (INDIA) Phone: (079) 2396 2000/2026/2332

Fax : 91-079-23962277 Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQF/19-20/042

Date : 22-05-2019

Due on : 08-08-2019 by 1:00 PM IST

Reminder-1 Dt: 04-07-2019

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items which we are interested to import directly against Foreign Trade Policy 2015-2020.

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to importpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: IPR-FP-01.V3)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer clause no: 14 of Form No: IPR-FP-01.V3

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	Boron lined proportional counter-1 as per specification	2.0 Nos.
2	Boron lined proportional counter-2 as per specification	2.0 Nos.

Note:

1.Please quote with complete technical details (Technical compliance sheet and product data sheet).

2.TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees. Necessary TDS Certificate will be issued to the supplier after

TDS deduction. Encl: As per attached

Sd/-

Mr. D. Ramesh Purchase Officer-II

Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, http://www.ipr.res.in/documents/tenderseng.html for our future requirement.

Technical Specifications of Boron Lined Proportional Counter-1

Sr. No.	Particular	Specifications
1	Length (mm)	In between 300 mm to 400 mm
2	Diameter (mm)	In between 20 mm to 26 mm
3	Effective Length (mm)	In between 200 to 320 mm
4	Cathode material	High Purity Aluminium or Steel
5	Connector	HN Connector
6	Thermal neutron sensitivity	4 cps/nv or more
7	Warranty	1 Year

Technical Specifications of Boron Lined Proportional Counter-2

Sr. No.	Particular	Specifications
1	Length (mm)	In between 150 to 200 mm
2	Diameter (mm)	In between 20 mm to 26 mm
3	Effective Length (mm)	In between 100 to 120 mm
4	Cathode material	High Purity Aluminium or Steel
5	Connector	HN Connector
6	Thermal neutron sensitivity	1 cps/nv or more
7	Warranty	1 Year

Technical Specifications of Boron Lined Proportional Counter-1

Sr. No.	Particular	Specifications	Vendor Specifications Make: Model No:
1	Length (mm)	In between 300 mm to 400 mm	mm chaond airbadh i
2	Diameter (mm)	In between 20 mm to 26 mm	
3	Effective Length (mm)	In between 200 to 320 mm	rodpsmrol1 E
4	Cathode material	High Purity Aluminium or Steel	whene a comment some of
5	Connector	HN Connector	
6	Thermal neutron sensitivity	4 cps/nv or more	Rieman Laurenden
7	Warranty	1 Year	

Technical Specifications of Boron Lined Proportional Counter-2

Sr. No.	Particular	Specifications	Vendor Specifications Make:
	10808	m to 3 MH	Model No:
1	Length (mm)	In between 150 to 200 mm	enes noticen ismed To a
2	Diameter (mm)	In between 20 mm to 26 mm	Vinsualar
3	Effective Length (mm)	In between 100 to 120 mm	
4	Cathode material	High Purity Aluminium or Steel	
5	Connector	HN Connector	
6	Thermal neutron sensitivity	1 cps/nv or more	
7	Warranty	1 Year	

Note: indicate the numerical values of specifications wherever necessary

Bidder's sign with official Stamp

Date: