This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



## प्लाज्मा अनुसंधान संस्थान INSTITUTE FOR PLASMA RESEARCH

परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त संस्थान



# An Aided Institute of Department of Atomic Energy, Government of

India

इन्दिरा पुल के पास, भाट, गांधीनगर – 382 428 भारत दूरभाष: (079) 2396 2020/2021/2028 फेक्स: 91-079-23962277 वेब: www.ipr.res.in NEAR INDIRA BRIDGE, BHAT DIST. GANDHINAGAR - 382 428 (INDIA) Phone: (079) 2396 2000/2026/2332 Fax : 91-079-23962277 Web : <u>www.ipr.res.in</u>

## ENQUIRY

Due on	: 05-12-2019 by 1:00 PM IST
ENQUIRY NO	: IPR/EQF/19-20/147
Date	: 29-10-2019

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items which we are interested to import directly against Foreign Trade Policy 2015-2020.

#### **Important Note:**

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to <u>importpurchase@ipr.res.in</u>

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., <u>http://www.ipr.res.in/documents/tender\_terms.html</u> / attached herewith.

1) Instructions to the bidders & Terms and conditions (refer Form No: IPR-FP-01.V3)

2) Bidding format

**GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS):** Please refer **clause no: 14** of Form No: **IPR-FP-01.V3** 

#### **QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY**

Sr No	Description	Quantity
1	Boron Lined Proportional Counter-1 as per specification	2.0 Nos.
2	Boron Lined Proportional Counter-2 as per specification	2.0 Nos.
Note: Encl:	<ol> <li>Delivery required within 4 months from the date of P.O.</li> <li>Please quote with complete technical details (Technical compliance sheet and product data sheet).</li> <li>TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees. Necessary TDS Certificate will be issued to the supplier after TDS deduction. Refer attached sheet for detailed technical specification.</li> </ol>	Sd/- Mr. D. Ramesh
		Mi Di Rumesh

Purchase Officer-II

**Information to Vendors:** We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <u>http://www.ipr.res.in/documents/tendersenq.html</u> for our future

## **Technical Specifications of Boron Lined Proportional Counter-1**

Sr. No.	Particular	Specifications
INO.		
1	Length (mm)	In between 300 mm to 400 mm
2	Diameter (mm)	In between 20 mm to 27 mm
3	Effective Length (mm)	In between 200 to 320 mm
4	Cathode material	High Purity Aluminium or Stainless Steel
5	Connector	HN Connector
6	Thermal neutron sensitivity	4 cps/nv or more
7	Warranty	1 Year

# **Technical Specifications of Boron Lined Proportional Counter-2**

Sr.	Particular	Specifications
No.		
1	Length (mm)	In between 150 to 200 mm
2	Diameter (mm)	In between 20 mm to 27 mm
3	Effective Length (mm)	In between 90 to 120 mm
4	Cathode material	High Purity Aluminium or Stainless Steel
5	Connector	HN Connector
6	Thermal neutron sensitivity	1 cps/nv or more
7	Warranty	1 Year

### **Technical Compliance Sheet**

#### **Boron Lined Proportional Counter-1**

Sr.	Particular	Specifications	Vendor Specifications
No.			Make:
			Model No:
1	Length (mm)	In between 300 mm to 400 mm	
2	Diameter (mm)	In between 20 mm to 27 mm	
3	Effective Length (mm)	In between 200 to 320 mm	
4	Cathode material	High Purity Aluminium or	
		Stainless Steel	
5	Connector	HN Connector	
6	Thermal neutron sensitivity	4 cps/nv or more	
7	Warranty	1 Year	

## **Boron Lined Proportional Counter-2**

Sr. No.	Particular	Specifications	Vendor Specifications Make:
			Model No:
1	Length (mm)	In between 150 to 200 mm	
2	Diameter (mm)	In between 20 mm to 27 mm	
3	Effective Length (mm)	In between 90 to 120 mm	
4	Cathode material	High Purity Aluminium or	
		Stainless Steel	
5	Connector	HN Connector	
6	Thermal neutron sensitivity	1 cps/nv or more	
7	Warranty	1 Year	

Note: indicate the numerical values of specifications wherever necessary

Bidder's sign with official Stamp