

## प्लाज्मा अनसंधान संस्थान INSTITUTE FOR PLASMA RESEARCH



## परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त

### An Aided Institute of Department of Atomic Energy, **Government of India**

इन्दिरा पुल के पास, भाट, गांधीनगर - 382 428 भारत

द्रभाष: (079) 2396 2020/2021/2028 फैक्स: 91-079-23962277

वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT

DIST. GANDHINAGAR - 382 428 (INDIA) Phone: (079) 2396 2020/2021/2028

Fax: 91-079-23962277 Web: www.ipr.res.in

### **ENQUIRY**

**ENQUIRY NO** : IPR/EQL/18-19/329

Date : 28-12-2018

: 07-02-2019 by 1:00 PM IST Due on

Reminder-1 Dt: 22-01-2019

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items:

#### **Important Note:**

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to localpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender\_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: IPR-LP-01.V4)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer clause no: 8 of Form No: IPR-LP-01.V4

### **OUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY**

| Sr<br>No | Description                | Quantity |
|----------|----------------------------|----------|
| 1        | 10 Seated Conference Table | 1.0 Nos. |

Note: TDS as per CGST Act: As per provisions of section No. 51 of

the CGST Act 2017,

TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be

deducted while making

payment to the suppliers where total value of

orders/contracts/work orders

exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees.

Necessary TDS

Certificate will be issued to the supplier after TDS deduction.

Encl: As per attachment.

Sd/-

**Information to Vendors:** We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <a href="http://www.ipr.res.in/documents/tenderseng.html">http://www.ipr.res.in/documents/tenderseng.html</a> for our future requirement.

486

## **Technical Specifications**

# Supply and Installation of Conference Table Quantity: 1 Nos.

| Sr.<br>No. | Particular           | Specifications  |  |
|------------|----------------------|---|--|
| 1          | Length               | 3000–3500 mm  |  |
| 2          | Width                | 1200–1500mm   |  |
| 3          | Height               | 740–750 mm  |  |
| 4          | Table Top Material   | Top made of 36 mm thick board, pressed with 0.4 mm thick membrane foil clad pressed with PU glue. The foil shall be precoated with a layer of polyurethane for better scratch resistance. |  |
| 5          | Table understructure | Understructure with verticals made of 25 mm thick post-formed particle board & modesty made of 18mm thick prelaminated particle board having decorative laminate on both sides.           |  |
| 6          | Colour of table      | Should be only in one approved colour.  |  |
| 7          | Guarantee            | Table shall be guaranteed for a period of 24 months from the date of installation and acceptance against all design, material and manufacturing defects.                                  |  |
| 8          | Installation         | Installation will be carried out by supplier at IPR, Gandhinagar.   |  |

## Note to Manufacture/Supplier

- 1. The supplier shall indicate the numerical values of specifications wherever necessary and provide technical offer. Comments like YES, AGREED, WILL BE COMPLIED, CONFIRMED are not acceptable where numerical values are required to be quoted.
- 2. Installation:

Installation should be carried out by the supplier at IPR, Gandhinagar.

3. Guarantee:

Table shall be guaranteed for a period of 24 months from the date of installation and acceptance against all design, material and manufacturing defects.

## **Technical Compliance Sheet**

## Supply and Installation of Conference Table Quantity: 1 Nos.

| Sr.<br>No. | Particular           | IPR Specifications   | Vendor's Specifications Model No |
|------------|----------------------|--|----------------------------------|
| 1          | Length               | 3000–3500 mm   |                                  |
| 2          | Width                | 1200–1500mm  |                                  |
| 3          | Height               | 740– 750 mm  |                                  |
| 4          | Table Top Material   | Top made of 36 mm thick board, pressed with 0.4 mm thick membrane foil clad pressed with PU glue. The foil shall be pre-coated with a layer of polyurethane for better scratch resistance. |                                  |
| 5          | Table understructure | Understructure with verticals made of 25 mm thick post-formed particle board & modesty made of 18mm thick prelaminated particle board having decorative laminate on both sides.            | *                                |
| 6          | Colour of table      | Should be only in one approved colour.   |                                  |
| 7          | Guarantee            | Table shall be guaranteed for a period of 24 months from the date of installation and acceptance against all design, material and manufacturing defects.                                   |                                  |
| 8          | Installation         | Installation will be carried out by supplier at IPR, Gandhinagar.  |                                  |

#### Note to Manufacture/Supplier

- 1. The supplier shall indicate the numerical values of specifications wherever necessary and provide technical offer. Comments like YES, AGREED, WILL BE COMPLIED, CONFIRMED are not acceptable where numerical values are required to be quoted.
- 2. Installation:

Installation should be carried out by the supplier at IPR, Gandhinagar.

3. Guarantee:

Table shall be guaranteed for a period of 24 months from the date of installation and acceptance against all design, material and manufacturing defects.