his file has been cleaned of potential threats.	
o view the reconstructed contents, please SCROLL DOWN to next page.	



प्लाज्मा अनसधान सस्थान INSTITUTE FOR PLASMA RESEARCH



परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त

An Aided Institute of Department of Atomic Energy, **Government of India**

इन्दिरा पुल के पास, भाट, गांधीनगर - 382 428 भारत

द्रभाष: (079) 2396 2020/2021/2028

फैक्स: 91-079-23962277

वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT

DIST. GANDHINAGAR - 382 428 (INDIA) Phone: (079) 2396 2020/2021/2028

Fax: 91-079-23962277 Web: www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQL/18-19/354

Date : 10-01-2019

: 14-02-2019 by 1:00 PM IST Due on

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items:

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to localpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: IPR-LP-01.V4)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer clause no: 8 of Form No: IPR-LP-01.V4

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	Spark Gap	1.0 Nos.
2	Decoupling Capacitor	2.0 Nos.

Note: TDS as per CGST Act: As per provisions of section No. 51 of

the CGST Act 2017,

TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be

deducted while making

payment to the suppliers where total value of

orders/contracts/work orders

exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees.

Necessary TDS

Certificate will be issued to the supplier after TDS deduction

Encl: As per attachment.

Sd/-

Mr. D. Ramesh Purchase Officer-II **Information to Vendors:** We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, http://www.ipr.res.in/documents/tenderseng.html for our future requirement.

Compliance Form

Parameters	Indenter requirement	Vendor Specification
Breakdown Voltage	6-8 kV DC	vendor Specification
Max. Peak current	50 kA	*
Terminal	M8	
Size	Max. Diameter 90 mm of	
	enclosure	
Trigger voltage	8 kV Pulse	
	Breakdown Voltage Max. Peak current Terminal Size	Breakdown Voltage 6-8 kV DC Max. Peak current 50 kA Terminal M8 Size Max. Diameter 90 mm of enclosure

Parameters	Indenter requirement	Vendor Specification
Decoupling Capacitor	500pf/20 kV DC	Tender Specification
		D 1: C indenter requirement

Bidder's sign with official stamp

Specifications:

1. High Pressure Spark Gap

1. Breakdown Voltage: 6-8 kV DC

2. Max. Peak current: 50 kA

3. Terminal: M8

4. Size: Max. Diameter 90 mm of enclosure

6. Trigger voltage: 8 kV Pulse

2. Matching Decoupling Capacitor

500pf/20 kV DC