

This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



प्लाज़्मा अनुसंधान संस्थान
INSTITUTE FOR PLASMA RESEARCH
परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त
संस्थान
An Aided Institute of Department of Atomic Energy,
Government of India



इन्दिरा पुल के पास, भट, गांधीनगर - 382 428 भारत
दूरभाष: (079) 2396 2020/2021/2028
फैक्स: 91-079-23962277
वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT
DIST. GANDHINAGAR - 382 428 (INDIA)
Phone: (079) 2396 2020/2021/2028
Fax : 91-079-23962277
Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQL/18-19/368
Date : 17-01-2019

Due on : 14-02-2019 by 1:00 PM IST

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items:

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to localpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: **IPR-LP-01.V4**)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer **clause no: 8** of Form No: **IPR-LP-01.V4**

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

| Sr No | Description | Quantity |
|-------|--------------------------------------|----------|
| 1 | control console as per specification | 1.0 Nos. |

Note: TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees. Necessary TDS Certificate will be issued to the supplier after TDS deduction

Encl: As per attachment.

Sd/-



Mr. D. Ramesh
Purchase Officer-II

Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <http://www.ipr.res.in/documents/tenderseng.html> for our future requirement.

Technical specification for Control Console

| Sr. No. | Particulars | IPR Specification |
|---------|--|---|
| 1. | Dimensions (total including monitor arm if any) Pls. Refer to fig 1 and fig 2. | L |
| | | D |
| | | H |
| 2. | It should be angular shape with 30° to 20° angular transitions on both sides as shown in figure. | |
| 3. | All components except platform & side panel should be made of black colour/powder coated steel or Aluminium | |
| 4. | work space/platform Pls. Refer to fig 2. | Height from ground 750± 15 mm |
| | | Depth of work space 450 ± 50 mm |
| | | Joint-less table top |
| | | scratch resistance material CORIAN /Acrylic |
| 5. | Space for keeping 6 or more Computer CPU on a moveable rack below the work space height .This space should be inside a cabinet with metallic hinge door and transparent window . | |
| 6. | Design considering proper Leg space. | |
| 7. | Provision for | Keeping 8 or more 21 Inch computer Monitor |
| | | Air vents /cooling fans |
| | | holes / doors for drawing wires 1. for keyboard mouse monitor etc. from CPU 2. From outside to CPU |
| 8. | Accessories | 6 or more Nos. Universal power socket box each have capacity of 3 or more plug with individual on/off switch.(capacity of power socket box 15A) |
| 9. | Installation | Will be done by vendor at IPR |


Figure for indication purpose only



Compliance form for Control Console

| Particulars | | IPR Specification | Vendors Specifications |
|-------------|--|---|------------------------|
| 1. | Dimensions (total including monitor arm if any) Pls. Refer to fig 1 and fig 2. | L | 4500 to 5000 mm |
| | | D | 1100 to 1300 mm |
| | | H | 1050 to 1150 mm |
| 2. | It should be angular shape with 30° to 20° angular transitions on both sides as shown in figure. | | |
| 3. | All components except platform & side panel should be made of black colour/powder coated steel or Aluminium | | |
| 4. | work space/platform Pls. Refer to fig 2. | Height from ground | 750± 15 mm |
| | | Depth of work space | 450 ± 50 mm |
| | | Joint-less table top | |
| | | scratch resistance material | CORIAN /Acrylic |
| 5. | Space for keeping 6 or more Computer CPU on a moveable rack below the work space height .This space should be inside a cabinet with metallic hinge door and transparent window . | | |
| 6. | Design considering proper Leg space. | | |
| 7. | Provision for | Keeping 8 or more 21 Inch computer Monitor | |
| | | Air vents /cooling fans | |
| | | holes / doors for drawing wires 1. for keyboard mouse monitor etc. from CPU 2. From outside to CPU | |
| 8. | Accessories | 6 or more Nos. Universal power socket box each have capacity of 3 or more plug with individual on/off switch.(capacity of power socket box 15A) | |
| 9. | Installation | Will be done by vendor at IPR | |

Figure for indication purpose only



Bidder's sign with official Stamp

