

This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



प्लाज़्मा अनुसंधान संस्थान
INSTITUTE FOR PLASMA RESEARCH
परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता



प्राप्त संस्थान

An Aided Institute of Department of Atomic Energy,
Government of India

इन्दिरा पुल के पास, भट, गांधीनगर - 382 428 भारत

दूरभाष: (079) 2396 2020/2021/2028

फैक्स: 91-079-23962277

वेब: www.ipr.res.in

NEAR INDIRA BRIDGE, BHAT

DIST. GANDHINAGAR - 382 428 (INDIA)

Phone: (079) 2396 2020/2021/2028

Fax : 91-079-23962277

Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO : IPR/EQL/19-20/298

Date : 05-11-2019

Due on : 05-12-2019 by 1:00 PM IST

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date,
ALONG WITH your credentials for the following items:

Important Note:

Please note that e-mail quotations are not acceptable however you may send your
queries (if any) to localpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned
due date and time.

Kindly go through the following documents properly before quoting which are available on
the IPR web portal i.e., http://www.ipr.res.in/documents/tender_terms.html / attached
herewith.

- 1) Instructions to the bidders & Terms and conditions (refer Form No: **IPR-LP-01.V4**)
- 2) Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer **clause no: 8** of Form No: **IPR-LP-01.V4**

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
1	Supply of drinking water cooler suitable for operation on 230 Volt, 50 Hz, single phase AC supply. Minimum cooling capacity 20 litres/ hour, Nominal storage capacity- 40 litres with 2 nos. of faucets/taps (1 nos. for normal water and 1 no. for cold water). Body and tank should be of Stainless steel.	5.0 Nos.

Note: Note : (1) Unsigned quotations are not acceptable.
Quotation should be submitted duly signed on ALL PAGES invariably
(2) TDS as per CGST Act : As per provisions of section No. 51 of the CGST Act 2017, TDS @ 2% (IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 Lakhs, in the event of order in Indian Rupees

delivery Time:-06 weeks
Encl: As Per Attachment

Sd/-

Mr. D. Ramesh
Purchase Officer-II

Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, <http://www.ipr.res.in/documents/tendersenq.html> for our future requirement.

TECHNICAL SPECIFICATIONS:

1. Drinking Water Cooler

Description	IPR Spec.
Type	: Refrigerant type
Make	: Voltas/ Blue Star/Usha/Shriram
Storage capacity	: 40 to 80 liters
Cooling capacity	: Minimum 20 liters/ hrs. as per standard
MOC of Body	: Full Stainless Steel body
MOC of Tank	: Stainless Steel
Operating ambient range (°C)	: 10 to 50
Refrigerant	: R-134a/ R-22 or equivalent
Type of compressor	: Reciprocating / Rotary/ Scroll
No. of faucets (tap)	: 2 Nos. (1 nos. for normal or plain water + 1 nos. for cold drinking water)
Facility of normal or plain water faucets (tap) also available.	: Yes
Power supply required	: 230 ± 10 % V, AC, 50 Hz, Single phase
Rated power (Watts)	: --
Dimensions: WxDxH (mm)	: --
Other features / controls	: The unit shall be with pre coated inner liners, castor wheels/ leg, UV grade plastic materials for long lasting appear, CFC free insulation, SS body & tank, PUF insulation, food grade plastics in water contact, no MS parts in water contact, Less noise level and less power consumption

SCOPE:

Supply and testing of 'Refrigerant type' water cooler. **Water cooler should have 2 Nos. of faucets (tap). One for plain (normal) water and one for cold water.**

TESTING & ACCEPTANCE:

The final acceptance is subjected to satisfactory running test at IPR

COMPLIANCE SHEET:

1. Drinking Water Cooler

Description	IPR Spec.	Filled by the party
Type	: Refrigerant type	:
Make	: Voltas/ Blue Star/Usha/Shriram	:
Storage capacity	: 40 to 80 liters	: " Kindly use technical values avoid using words "yes/complied/ok/agree/confirm "
Cooling capacity	: Minimum 20 liters/ hrs. as per standard	:
MOC of Body	: Full Stainless Steel body	:
MOC of Tank	: Stainless Steel	:
Operating ambient range (°C)	: 10 to 50	:
Refrigerant	: R-134a/ R-22 or equivalent	:
Type of compressor	: Reciprocating / Rotary/ Scroll	:
No. of faucets (tap)	: 2 Nos. (1 nos. for normal or plain water + 1 nos. for cold drinking water)	:
Facility of normal or plain water faucets (tap) also available.	: Yes	:
Power supply required	: 230 ± 10 % V, AC, 50 Hz, Single phase	:
Rated power (Watts)	: --	:
Dimensions: WxDxH (mm)	: --	:
Other features / controls	: The unit shall be with pre coated inner liners, castor wheels/ leg, UV grade plastic materials for long lasting appear, CFC free insulation, SS body & tank, PUF insulation, food grade plastics in water contact, no MS parts in water contact, Less noise level and less power consumption	:
Bidder's official stamp and sign		
Date:		