

प्लाज़्मा अनुसंधान संस्थान INSTITUTE FOR PLASMA RESEARCH परमाणु ऊर्जा विभाग, भारत सरकार का एक सहायता प्राप्त



संस्थान

An Aided Institute of Department of Atomic Energy, Government of India

इन्दिरा पुल के पास, भाट, गांधीनगर - 382

428 **भारत**

दूरभाष: (079) 2396 2020/2021/2028

फैक्स: 91-079-23962277

वेब: <u>www.ipr.res.in</u>

NEAR INDIRA BRIDGE, BHAT DIST. GANDHINAGAR - 382 428 (INDIA) Phone: (079) 2396 2020/2021/2028 Fax : 91-079-23962277 Web : www.ipr.res.in

ENQUIRY

ENQUIRY NO Date : IPR/EQL/19-20/445 : 23-03-2020

Due on : 18-06-2020 by 1:00 PM IST

Reminder-1 Dt: 19-05-2020

Please send your offer in sealed envelope specifying Enquiry No, Date & Due Date, ALONG WITH your credentials for the following items:

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to localpurchase@ipr.res.in

Please ensure your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following documents properly before quoting which are available on the IPR web portal i.e., <u>http://www.ipr.res.in/documents/tender_terms.html</u> / attached herewith.

Instructions to the bidders & Terms and conditions (refer Form No: IPR-LP-01.V4)
 Bidding format

GST for Goods and Services (IGST/CGST/SGST TAX BENEFITS): Please refer clause no: 8 of Form No: IPR-LP-01.V4

QUOTATION SHOULD BE ADDRESSED TO PURCHASE OFFICER ONLY

Sr No	Description	Quantity
	0-10kV,100mA,20kHz to 50kHz HVPS (detail Specification attached)	1.0 Nos.
Note	 (1) Unsigned quotations are not acceptable. Quotation should be submitted duly signed on all pages invariably. (2) TDS as per CGST Act: As per provisions of section No. 51 of the CGST Act 2017, TDS @2% 	

(IGST 2% or CGST 1% and SGST 1%) will be deducted while making payment to the suppliers where total value of orders/contracts/work orders exceeds Rs. 2.5 lakhs, in the event of order in Indian Rupees. Necessary TDS Certificate will be issued to the supplier after TDS deduction. (3) Delivery Time: 4 months

Encl: Refer attached sheets for detailed technical specifications.

Information to Vendors: We are working towards a single platform for our future requirement. Hence, please refer IPR website i.e, http://www.ipr.res.in/documents/tenderseng.html for our future requirement.

1. Technical specification:

SI						
No	Parameters	Specification				
1	Input Voltage	220V ± 10% AC 50 Hz single phase				
2	Output Voltage	10 kV pk-pk				
3	Control Mode	Voltage control Mode				
4	Output Current	100 mA pk-pk				
5	Output Waveform	Sine wave or square wave				
		1% change in output pk-pk voltage for the change of ±10% of				
6	Line regulation	input voltage				
7	Frequency range	20kHz to 50Khz				
8	Frequency Control	10 turn pot in front panel				
9	Frequency Variation	± 5% of set frequency				
10	Mode of Operation	Constant Voltage				
11	Protection	Short Circuit protection				
		Over Load Protection				
		Arc Protection				
12	Front Panel	Power ON/OFF switch and Indication				
		HV ON/OFF switch and Indication				
		Fault indication				
		Voltage, Current and frequency Meters				
		Potentiometers for voltage and Frequency				
		Trip Reset push button				
		Voltage inhibition TTL (The power supply should stop the the				
		TTL signal is High and should give output when the TTL is Low				
		ie when the terminals are shorted the power supply should				
		work in continuous mode)				
		3 meters of suitable HV cable should be supplied along with				
13	Output HV cable	the unit.				
	Cabinet preferred	19inch rack compatible, Powder coated.				
14	Warranty	One year from the date of acceptance				
	Factory acceptance					
15	test	No lad test				
		Full loaf test with suitable Dummy Load				
		Tests for all the protections				
		Testes for the health performance of the power supply with				
		the all the required features.				
1 -	Sito Accontones test	No lad tost				
15	Site Acceptance test	No lad test				
		Full loaf test with suitable Dummy Load				

	Tests for all the protections				
	Testes for the health performance of the power supply with the all the required features.				
	Test with the real load (plasma panel)				
	Note				
	IPR representative will witness the factory Acceptance test				
1	before dispatch				
	The unit will be accepted only after the Site acceptance test				
2	with the real load				

2. Technical compliance statement:

SI			Vendor Specification
No Parameters		meters Specification	
1	Input Voltage	220V ± 10% AC 50 Hz single phase	
2	Output Voltage	10 kV pk-pk	
3	Control Mode	Voltage control Mode	
4	Output Current	100 mA pk-pk	
5	Output Waveform	Sine wave or square wave	
		1% change in output pk-pk voltage for	
6	Line regulation	the change of $\pm 10\%$ of input voltage	
7	Frequency range	20kHz to 50Khz	
8	Frequency Control	10 turn pot in front panel	
9	Frequency Variation	± 5% of set frequency	
10	Mode of Operation	Constant Voltage	
11	Protection	Short Circuit protection	
		Over Load Protection	
		Arc Protection	
12	Front Panel	Power ON/OFF switch and Indication	
		HV ON/OFF switch and Indication	
		Fault indication	
		Voltage, Current and frequency Meters	
		Potentiometers for voltage and	
		Frequency	
		Trip Reset push button	
		Voltage inhibition TTL (The power supply	
		should stop the the TTL signal is High	
		and should give output when the TTL is	
		Low ie when the terminals are shorted	
		the power supply should work in	
		continuous mode)	
		3 meters of suitable HV cable should be	
13	Output HV cable	supplied along with the unit.	
	Cabinet preferred	19inch rack compatible, Powder coated.	
14	Warranty	One year from the date of acceptance	
	Factory acceptance		
15	test	No lad test	
		Full loaf test with suitable Dummy Load	
		Tests for all the protections	
		Testes for the health performance of the	
		power supply with the all the required	
		features.	

15	Site Acceptance test	No lad test	
		Full loaf test with suitable Dummy Load	
		Tests for all the protections	
		Testes for the health performance of the power supply with the all the required features.	
		Test with the real load (plasma panel)	
		Note	
	1	IPR representative will witness the factory Acceptance test before dispatch	
	2	The unit will be accepted only after the Site acceptance test with the real load	



(भाट, इन्दीरा पुल के पास, गांधीनगर382428 - , गुजरात) भारत

Institute for PlasmaResearch

Bhat, Near Indira Bridge, Gandhinagar – 382428, Gujarat (INDIA)

Phone: +91-79-23962021 to 23962028 ; Fax: +91-79-23962277 Website: www.ipr.res.in

Form No: IPR-LP-01.V4

चेवा में

INSTRUCTIONS TO BIDDERS AND TERMS AND CONDITIONS

- 1. The Quotation and any order resulting from this enquiry shall be governed by our Conditions of Contract/Purchase Order and supplier quoting this enquiry shall be deemed to have read and understood the same in toto.
- 2. Where counter terms and conditions have been offered by the Tenderer, the same shall not be deemed to have been accepted by IPR unless our specific written acceptance thereof is obtained.
- Ouotation: Ouotation should be submitted in the prescribed OUOTATION FORMAT attached with this Enquiry 3. and the same should be submitted to the Purchase Officer, IPR in a sealed envelope superscribing the same with our enquiry No., date, due date and brief description of item on or before the due date. Late/delayed/incomplete/unsigned quotations will not be considered. Envelopes received without Enquiry number, date, due date and brief description of item may be rejected. The quoted prices should be firm for a period of 90 days from due date for placing order. IPR is not bound to accept lowest rate/s. IPR reserves the right to place on one or more parties. The scope of supply includes insurance by the Contractor/Supplier.
- 4. Specifications: Material should be offered strictly confirming to our specifications/drawings. Deviation, if any, should be clearly indicated by the supplier in their quotation. The Tenderer should also indicate the Make/Type number of the materials offered and catalogues, technical literature and samples, wherever necessary should accompany the quotation. Clarification/s on drawings should be obtained before submitting quotation.
- Terms of Prices: Quotation should be submitted on door delivery basis without extra charge wherever possible. For 5. quotations on Ex-Works, Ex-godown basis the approximate packing and forwarding charges should be indicated by the supplier. In the case of local suppliers, the material is to be delivered at our stores free of charge.
- 5.1 In respect of tenders on Ex-works basis, in case the tenderer has not mentioned in the offer packing, forwarding and transportation charges for safe delivery up to Purchaser's site, 2% of the price quoted towards packing (in respect of both local and outstation firms), 1% of the basic price quoted towards safe delivery charges in respect of local tenderer and 3% of the basic price quoted towards safe delivery charges in respect of outstation firm will be added for comparison of offers on safe door delivery at Purchaser's site.
- 5.2 Prices are required to be quoted according to the units indicated in the tender form/Enquiry. When Quotations are given in terms of units other than those specified in the tender form, relationship between the two sets of units must be furnished
- 6. Tender should be free from Correction and Erasures. Corrections, if any, must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amounts quoted in words and figures, amount quoted in words shall prevail. Unsigned quotations will summarily be rejected. If there is a discrepancy between the unit price and total price, unit price shall prevail.
- IPR shall be under no obligation to accept the lowest or any tender and reserves the right of acceptance of the whole 7. or any part of the tender or portion of the quantity offered and the tenderers shall supply the same at the rate quoted.
- 8. Goods & Services Tax (GST): The details of Taxes/GST and other levies legally leviable and intended to be claimed should be clearly indicated in the tender. Where this is not done, no claim on these accounts would be admissible later.

a) GST for Goods (IGST/CGST/SGST TAX BENEFITS):

IPR is entitled to avail tax benefit as per the following notifications issued by Ministry of Finance, Department of Revenue, Government of India:

(1) No: 47/2017-INTEGRATED TAX (RATE) DATED 14/11/17 for IGST

(2) No: 45/2017-CENTRAL TAX (RATE) DATED 14/11/17 for CGST

And,

IPR is entitled to avail tax benefit as per the following notifications issued by Finance Department, Government of Gujarat:

(1) No. 45/2017-STATE TAX (RATE) DATED 15/11/17 for SGST

As per above notifications IPR will bear only 5% IGST for procurement of goods from outside Gujarat & 2.5% CGST and 2.5% SGST (total 5%) for procurement of goods within Gujarat. Vendors are required to charge tax as per these notifications while quoting/supplying the goods. Deviations, (if any) should be clearly mentioned in the quotation/offer.

Please specify the HSN codes while quoting.

GST for Services: b)

As applicable. Specify the SAC codes wherever services are involved.

9. Earnest Money Deposit (EMD): Tenderer should furnish EMD if asked for by the Purchaser.

10. Delivery Date: Delivery period is essence of the Contract. Supplier must indicate the firm delivery date by which the materials will be dispatched/delivered by them from the date of our order. Delivery period shall be clearly indicated against each item separately.

An Aided Institute of Department of Atomic Energy, Government of India



प्लाज्मा अनुसंधान संस्थान (भाट, इन्दीरा पुल के पास, गांधीनगर382428 - , गुजरात) भारत

Institute for PlasmaResearch



Bhat, Near Indira Bridge, Gandhinagar – 382428, Gujarat (INDIA)

- Phone: +91-79-23962021 to 23962028 ; Fax: +91-79-23962277 Website: www.ipr.res.in
- 11. **Price/ Purchase Preference:** Purchase/Price preference to industries will be given as per the policy of the Government of India in force at the time of evaluation provided their offer is in compliance with the conditions of the policy.
- 12. **Liquidated Damages:** The successful Vendor/Bidder should pay liquidated damages @ ½% (half percent) of the total contract/order value for the delay of each week in the scheduled date of completion of the work envisaged in the Contract/Purchase Order subject to a maximum of 5% (Five percent) of the total Contract/Order value.
- 13. **Inspection**: Materials on its arrival at IPR will be inspected by our Engineer/Stores Officer, and his decision in the matter will be final. However, where the items are required to be inspected at the Suppliers Premises, Supplier has to give advance notice to the Purchase regarding readiness of the material to enable Purchase/Stores section to depute his representative for inspection.
- 14. **Payment**: Payment will be arranged for accepted materials only within 30 days from the date of receipt of materials at IPR and bills in our accounts section, completed in all respects.
- 15. No correspondence will be entertained within 30 days from the date of receipt of material and bills, whichever is later.
- 16. **Guarantee:** The Stores offered should be guaranteed for a minimum period of twelve months, from that date of acceptance, against defective materials, design, workmanship, operation or manufacture. For defects noticed and communicated during the Guarantee period, replacement/rectification should be arranged free of cost within a reasonable period of such notifications. In case where our specifications call for a guarantee period more than 12 months specifically, then such a period shall apply.
- 17. **Performance Bank Guarantee**: If demanded by IPR, the successful bidder will have to furnish Performance Bank Guarantee for 10% of the order value (basic price) from a Nationalised/Scheduled Bank/State Bank of India, valid throughout the Guarantee/Warranty period. The scheduled banks approved by IPR are Axis Bank, HDFC Bank, ICICI Bank and IDBI Bank. Bank Guarantees submitted other than from banks approved by IPR will not be accepted.
- 18. **Security Deposit:** If demanded the successful Bidder will have to furnish to the Purchaser an interest free security deposit for 10% (Ten percent) of the order value in the form of Bank Guarantee of an equivalent amount from a nationalized/ scheduled Bank/State Bank of India within 15 days from the date of LOI/Purchase order and the said Guarantee should be valid till the goods are accepted by IPR. The scheduled banks approved by IPR are Axis Bank, HDFC Bank, ICICI Bank and IDBI Bank. Bank Guarantees submitted other than from banks approved by IPR will not be accepted. The Security deposit shall be forfeited in case the selected Bidder does not start the work within the time limit specified or fail to complete the work within the stipulated delivery period or fail to comply with any of the terms and conditions in the purchase order/contract. On successful completion of scope of work and its acceptance by IPR, supplier should send a letter to the Purchase Officer to return the original BG.
- 19. The Contractor/Supplier shall at all times indemnify the purchase against all claims which may be made in respect of the stores for infringement of any right protected by Patent Registration of design or Trade Mark and shall take all risk of accidents or damage, which may cause failure of supply from whatever cause arising and the entire responsibility for sufficiency of all means used by him for the fulfilment of the contract.
- 20. **Free Issue Material (FIM):** Successful tenderer will have to arrange insurance showing beneficiary as "Institute for Plasma Research" at their risk and cost towards adequate security for the materials/property provided/issued by the Purchaser as Free Issue Material for the due execution of the contract.
- 21. The Director, IPR reserves the right to accept or reject any quotations fully or partly or to cancel the enquiry without assigning any reason.
- 22. **Jurisdiction**: The contract shall be governed by the Laws of India for the time being in force. The Courts of Gandhinagar only shall have jurisdiction to deal with and decide any legal or dispute arising out of this Contract/Purchase Order.

- 1. Please quote with complete technical details.
- 2. Quotation should be submitted with below (Quotation format) else IPR shall not consider the offer submitted by the vendor for further evaluation

NAME OF PARTY : _____

ENQUIRY NO:_____ DUE ON:_____

QUOTATION No. & DATE : _____

Currency of Quotation: Indian Rupees

Sr. No.	Item Description	HSN/ SAC Code	Quantity	Rate (Basic)	ng (P&F)	le GST	(incl P&F and GST)	Total Value
1			а	b	С	d	e= b+c+d	f = a x e
2								
3								
4								

Sr. No.	PARTICULAR	Remarks
I.	Ex-works / FOR Destination	
II.	Freight	
III.	Insurance	
IV.	Delivery Period	
V.	Payment (IPR terms will apply)	
VI.	Guarantee / Warrantee	
VII.	Validity Period	
VIII.	Discount (if any)	
IX.	Remarks	

Note: Enclose technical compliance sheet with your quotation Fill in the all applicable details.

Place:

Authority Signatory

Date:

Company Seal

Bidder should submit the copy of GSTIN / ARN Certificate along with the offer Bidder should specify the SUPPLY and SERVICE rates/ charges separately wherever applicable