Institute for Plasma Research

Title :	Finite Temperature and Magnetic Shear Induced
	Stabilization Of Multiple Instabilities In
	Convective Fluid Plasma Transport Scenario
Speaker	: Dr. Jyoti Kumar Atul
	Institute for Plasma Research, Gandhinagar
Date :	30th July 2018 (Monday)
Time :	03.30 PM
Venue :	Committee Room 4, (New Building), IPR

Abstract :

Simultaneous existence of multiple instabilities has been reported in various linear plasma devices [1-5], toroidal devices [6-8] as well as in space plasma systems [9-11]. The interplay between these participating modes and the associated wave particle interactions are significantly influenced by dominant drivers as well as free energy sources/sinks for a given plasma system. The relative suppression mechanism and hierarchy of these instabilities needs to be critically investigated with respect to plasma confinement scenario. In context with it, the collective influence of finite temperature and sheared magnetic field is studied analytically for the EXB (and/or gravitational) and the current convective instabilities (CCI) to visualize local and global fluid flow patterns in slab geometry configuration. Further, global mix-mode potential eigen-mode structure suggests mode localization off the rational surface due to equilibrium parallel dynamics. It turns out that the magnetic shear induced stabilization is more effective at the larger scale sizes whereas finite temperature induced stabilization is more dominant at the smaller scale sizes.

References-

[1] Chattopadhyay, P. K., Bose, S., Ghosh, J., & Saxena, Y. C. (2015). Simultaneous existence of Kelvin Helmholtz and Drift wave Instabilities in IMPED. Bulletin of the American Physical Society, 60.

[2] Bose, S., Kaur, M., Chattopadhyay, P. K., Ghosh, J., & Saxena, Y. C. (2015). Inverse mirror plasma experimental device—A new magnetized linear plasma device with wide operating range. Review of Scientific Instruments, 86(6), 063501.

[3] Barada, K. K., Chattopadhyay, P. K., Ghosh, J., Kumar, S., & Saxena, Y. C. (2012). A linear helicon plasma device with controllable magnetic field gradient. Review of Scientific Instruments, 83(6), 063501.

[4] Thakur, S. C., Brandt, C., Cui, L., Gosselin, J. J., Light, A. D., & Tynan, G. R. (2014). Multi-instability plasma dynamics during the route to fully developed turbulence in a helicon plasma. Plasma Sources Science and Technology, 23(4), 044006.

[5] Chakraborty Thakur, S., Cui, L., Gosselin, J., Vaezi, P., Holland, C., & Tynan, G. (2014, October). Global transition from drift wave dominated regimes to multi-instability plasma dynamics and simultaneous formation of a radial transport barrier in helicon plasma. In APS Meeting Abstracts (Vol. 1, p. 8058P).

[6] Xu, G. S., Naulin, V., Fundamenski, W., Rasmussen, J. J., Nielsen, A. H., & Wan, B. N. (2010). Intermittent convective transport carried by propagating electromagnetic filamentary structures in nonuniformly magnetized plasma. Physics of plasmas, 17(2), 022501.

[7] Angus, J. R., Umansky, M. V., & Krasheninnikov, S. I. (2012). Effect of drift waves on plasma blob dynamics. Physical review letters, 108(21), 215002.
[8] Weiland, J. (2012). Stability and Transport in Magnetic Confinement Systems. Springer.

[9] Atul, J. K., Singh, R., Sarkar, S., Kravchenko, O. V., Singh, S. K., Chattopadhyaya, P. K., & Kaw, P. K. (2018). Magnetic shear damped polar convective fluid instabilities. Journal of Geophysical Research: Space Physics, 123, 808–818.

[10] Atul, J. K., Sarkar, S., & Singh, S. K. (2016). Nonlinearly coupled dynamics of irregularities in the equatorial electrojet. Physics Letters A, 380(16), 1446-1449.

[11] Gondarenko, N. A., & Guzdar, P. N. (2006). Nonlinear three-dimensional simulations of mesoscale structuring by multiple drives in high-latitude plasma patches. Journal of Geophysical Research: Space Physics, 111(A8).