

This file has been cleaned of potential threats.

If you confirm that the file is coming from a trusted source, you can send the following SHA-256 hash value to your admin for the original file.

276e1925de6dbd6bc429d60f26057395f95682d9bca5c07137cde9397dc97350

To view the reconstructed contents, please SCROLL DOWN to next page.

Seminar

Institute for Plasma Research

Title : Droplet Motion on Wettability Gradient Surface

Speaker: Dr. Vishakha Baghel

Institute for Plasma Research, Gandhinagar

Date : 16th March 2022 (Wednesday)

Time : 11.30 AM

Venue : Online - Join the talk:

<https://meet.ipr.res.in/PDF-Extension-Vishakha>

Abstract :

Self-sustained motion of liquid droplets on wettability gradient surface (WGS) is an emerging field due to its vast applications in microfluidics/ biofluidic [1, 2], self-cleaning [3], anti-icing [4], drop based thermal management of electronic device [5, 6], water harvesting via dewing [7, 8] etc. In present research experimental and numerical simulation studies are performed for fabricating linear wettability gradient on the surface and investigating droplet motion along with drop shape evolution on gradient surface. In this context, wettability gradient is fabricated on PTFE surface using plasma-based coating method. Wherein, a one-step, durable hydrophobic-hydrophilic interface is created using a magnetron sputtering deposition technique. The contact angle gradient at the interface increased from 13° to 33° , as the deposition time was increased from 1 to 5 minutes. Although 5 min deposited surface exhibits higher gradient, droplet velocities are higher on 1 min case due to formation of step height at the interface for 5 min deposited surface. Simultaneously, simulations are performed to investigate droplet motion on wettability graded surface, considering Earth's gravity and zero/micro gravity conditions. Present results are useful for designing wettability graded surface specially for condensing surfaces of water harvesting devices for manned space missions. In the numerical simulations 3-D Continuity and Navier-Stokes equations are solved with appropriate boundary and initial conditions using ANSYS FLUENT® for the computational domain. It is observed that droplet motion on the graded surface is attributed to caterpillar like inching motion. Droplets remain almost stationary on superhydrophobic surface ($\theta_{\text{high}} > 150^\circ$) with lower wettability gradient ($\Delta\theta_e = 0.2^\circ$ and 1°). However, droplet accelerates faster on surface with initial hydrophobic contact angle ($\theta_{\text{high}} = 100^\circ$) and high values of wettability gradient ($\Delta\theta_e = 10^\circ$). Although droplet velocity is higher, but droplet spreading is also higher on such surfaces, as compared to superhydrophobic surfaces. Droplet moves even in absence of gravity on wettability graded surface because droplet motion is majorly governed by surface tension force generated due to wettability gradient. However, droplet slightly deaccelerates in microgravity environment. Small size droplet moves faster on the graded surface. Also, effect of gravity is negligible for small droplets. However, drop motion in microgravity is substantially affected for large droplet due to increased value of Bond number.

Reference:

1. Dehghan Manshadi, M.K., et al., Electroosmotic micropump for lab-on-a-chip biomedical applications. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2016. 29(5): p. 845-858.
 2. Lee, C.Y., et al., Microfluidic mixing: a review. Int J Mol Sci, 2011. 12(5): p. 3263-87.
 3. Bixler, G.D. and B. Bhushan, Rice- and butterfly-wing effect inspired self-cleaning and low drag micro/nanopatterned surfaces in water, oil, and air flow. Nanoscale, 2014. 6(1): p. 76-96.
 4. Yarin, A.L., DROP IMPACT DYNAMICS: Splashing, Spreading, Receding, Bouncing.... Annual Review of Fluid Mechanics, 2006. 38(1): p. 159-192.
 5. Koukoravas, T.P., et al., Spatially-selective cooling by liquid jet impinging orthogonally on a wettability-patterned surface. International Journal of Heat and Mass Transfer, 2016. 95: p. 142-152.
 6. Silk, E.A., E. L. Gollhofer., and R. P. Selvam, Spray cooling heat transfer: Technolog overview and assessment of future challenges for micro-gravity application. Energy Conversion and Management 2008. 49: p. 453-468.
 7. Baghel, V. and B.S. Sikarwar. Performance Investigation of Atmospheric Water Generating Device for Hot and Humid Conditions. 2021. Singapore: Springer Singapore.
 8. Baghel, V., et al., Moist air condensation on teflon coated copper helical coil. Materials Today: Proceedings, 2021. 38: p. 397-401.
-