

DRG.NO


▽ 8.25

▽▽ 1.6-8

▽▽▽ 0.025-1.6

▽▽▽▽ < 0.025

REVISION COLUMN



NUMBERS OF TURNS FOR CYLINDER PORTION 250
 NUMBERS OF LAYERS FOR CYLINDER PORTION 24
 NUMBERS OF TURNS FOR NOTCH PORTION 42
 NUMBERS OF LAYERS FOR NOTCH PORTION 15

CO-ORDINATED BY

ASS'Y GROUP:

ALL DIMENSIONS ARE IN 'mm'
UNLESS OTHERWISE STATED

INSTITUTE FOR PLASMA RESEARCH

BHAT, GANDHINAGAR-382 428.

MACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS

LENGTH IN mm OF SHORTER SIDE OF ANGLES		LENGTH OR DIA					
UPTO	10-50	50-120	OVER 120-400	UPTO 6	6-30	30-120	120-315
±1°	±0°-30°	±0°-20°	±0°-10°	±0.1	±0.2	±0.3	±0.5

SCALE

DATE

TITLE

CAVITY MAGNET

LENGTH IN mm OF SHORTER SIDE OF ANGLES

UPTO 10 10-50 50-120 OVER 120-400

LENGTH OR DIA UPTO 6 6-30 30-120 120-315

±1° ±0°-30° ±0°-20° ±0°-10°

DRAWN



CHECKED

REF DRG NO:

DRG.NO

REV

CHECKED



APPROVED

DRG.NO

REV

SHEET OF

A

B

C

D

ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--

STACK:

/Title
()
/Subject
(D:20110317124215+05'30')
/ModDate
()
/Keywords
(PDFCreator Version 0.9.5)
/Creator
(D:20110317124215+05'30')
/CreationDate
(sstlmission)
/Author
-mark-